

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/568,215	03/28/2006	Mary Lopez	NEN-22502/16	8128
37742 7590 01/10/2008 GIFFORD, KRASS, SPRINKLE, ANDERSON & CITKOWSKI, P.C.			EXAMINER	
			SHEN, BIN	
P.O. BOX 702 TROY. MI 480	X 7021 MI 48007-7021		ART UNIT	PAPER NUMBER
, , , , , ,			1657	
			MAIL DATE	DELIVERY MODE
			01/10/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

· · ·	Application No.	Applicant(s)			
	10/568,215	LOPEZ, MARY			
Office Action Summary	Examiner	Art Unit			
	Bin Shen	1657			
- The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period w  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATE 36(a). In no event, however, may a reply be vill apply and will expire SIX (6) MONTHS fro cause the application to become ABANDO	ON. The timely filed  From the mailing date of this communication.  FINED (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on 13 Fe	Responsive to communication(s) filed on <u>13 February 2006</u> .				
·—	•—				
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
<ul> <li>4)  Claim(s) 1-19,21,22,24-28 and 30-34 is/are pending in the application.</li> <li>4a) Of the above claim(s) is/are withdrawn from consideration.</li> <li>5)  Claim(s) is/are allowed.</li> <li>6)  Claim(s) 1-19,21,22,24-28 and 30-34 is/are rejected.</li> <li>7)  Claim(s) is/are objected to.</li> <li>8)  Claim(s) are subject to restriction and/or election requirement.</li> </ul>					
Application Papers					
9)☐ The specification is objected to by the Examiner.					
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).  11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> </ul>					
* See the attached detailed Office action for a list of the certified copies not received.					
•	•				
Attachment(s)					
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	4) Interview Summa Paper No(s)/Mail				
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	5) Notice of Informa 6) Other:				

Application/Control Number: 10/568,215

Art Unit: 1657

#### **DETAILED ACTION**

The IDS received 6/5/2006, the preliminary amendment received 2/13/2006 have been entered.

Claims 1-19, 21, 22, 24-28, 30-34 are presented for examination on the merits.

## Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

- 1. Claims 1, 15 are rejected under 35 U.S.C. 112, second paragraph, as being incomplete for omitting essential steps, such omission amounting to a gap between the steps. See MPEP § 2172.01. The omitted steps are: claims 1 and 15 are incomplete because they lack a correlating step to accomplish the preamble of the claim.
- 2. Claim 7 recites the limitation "mass spectrometry" in lines 1-2. There is insufficient antecedent basis for this limitation in the claim. Should it depend from claim 6?

All other claims depend directly or indirectly from rejected claims and are, therefore, also rejected under USC 112, second paragraph for the reasons set forth above.

# Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 3. Claims 1-6, 8-11, are rejected under 35 U.S.C. 102(b) as being anticipated by Wagner et al. (Anal. Chem. 2002 74:809-820).

Wagner teaches a process for analyzing proteins in a sample comprising dividing a sample into plurality of aliquots (page 810, right column, 5<sup>th</sup> and 6<sup>th</sup> full paragraph); applying to

Application/Control Number: 10/568,215 Page 3

Art Unit: 1657

a first separation step to yield a plurality of partially resolved eluates; subjecting said plurality of partially resolved eluates in parallel to a second separation step; collecting at least one of said plurality of resolved fractions (page 811, left column, 1<sup>st</sup>-3<sup>rd</sup> full paragraph); analyzing the resolved fractions by mass spectrometry (page 813, left column, 1<sup>st</sup> full paragraph); wherein collection of the at least one of said plurality of resolved fractions occurs onto a MALDI target (page 813, left column, 1<sup>st</sup> full paragraph); wherein the separation steps separate on a basis selected from the group consisting of: charge, molecular weight, and hydrophobicity and using chromatography resin, and the separation buffer varies monotonically between individual aliquots, and the separation steps comprises a separation matrix in linear (page 811, left column, 1<sup>st</sup>-3<sup>rd</sup> full paragraph, and page 812, Fig. 1) or two-dimensional array (page 811, right column, under 2D-HPLC system).

Therefore, the cited reference is deemed to anticipate the instant claims above.

# Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 1-12, 14-19, 21, 22, 24-25, 27-28, 30-32, 34 are rejected under 35 U.S.C. 103(a) as being unpatentable over the combination of Wagner et al. in view of Gygi et al. (PNAS 2000 97(17):9390-9395) and Kachman et al. (Anal. Chem. 2002 74:1779-1791).

Art Unit: 1657

Wagner teaches what is above.

Wagner does not teach that the mass spectrometry is performed on an orthogonal MALDI mass spectrometer, digesting plurality of partially resolved eluates with a proteolytic enzyme to yield a plurality of digested eluates, labeling a sample with tag or machine-readable label, applying plurality of aliquots in parallel to first separation step by a robot. However, Wagner suggests the automation of the process using robotic equipment (page 820, right column,1st full paragraph, line 7).

Gygi teaches a method of protein analysis comprising tryptic digestion of samples before separated by chromatography (page 9393, right column, 1<sup>st</sup> full paragraph, line 8) in mass spectrometry for protein identification (abstract), and suggests to develop novel techniques that permitting large-scale (automation) quantitative comparison of protein expression (page 9395, right column, end of Conclusions).

Kachman teaches a method of protein analysis by tagging protein in fraction in mass mapping method for interlysate comparison of protein expression (abstract, line 14, also see page 1786, left column, lines 16-18), and its potential to be automated (page 1791, right column, line 2).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the method of Wagner by digesting and tagging protein samples in each fraction to analyze protein with MALDI mass spectrometer because Wagner teaches that multidimensional separation can be performed on digested protein (page 810, right column, 1<sup>st</sup> full paragraph) and Gygi teaches a digestion step in the mass spectrometer protein analysis. One would have been motivated to make the modification and automate the process using a robotic equipment because Wagner et al. specifically described the benefits of on-line array fractionation onto targets for MALDI-TOFMS (page 820, right column, 1st full paragraph), and would reasonably have expected success in view of Kachman's teaching of a protein tagging method for accurate mass analysis (page 1786, left column, lines 16-18) and its potential for automation.

5. Claims 1-6, 8-11, 13, 26, 33 are rejected under 35 U.S.C. 103(a) as being unpatentable over the combination of Wagner et al. in view of Miliotis et al. (J Chromatography A 2000;886:99-110).

Art Unit: 1657

Wagner teaches what is above.

Wagner does not teach that the separation steps occurs within a microplate with matrices maintaining well addresses in each of the two matrices, the collection (fractions/eluates affixing a machine-readable label.

Miliotis teach a process for analyzing proteins where the chromatographic separation is continuously transferred onto a plate as discrete spots (fractions/eluates) in a precise array pattern (abstract, lines 5-6).

A person of ordinary skill in the art at the time the invention was made would have been motivated to develop an integrated protein identification platform using microplate to substitute for the MALDI target plate and collect fraction/eluates in a precise array patter because Miliotis teach the transferring of the separation fraction onto a MALDI target plate in an array (abstract; Fig 1).

Hence, it would have been prima facie obvious to one of ordinary skill in the art at the time the invention was made to affixing a machine-readable label to the fraction/eluates collection to simplify automation and increase the robustness of the system (see motivation for this improvement on page 109, end of the left column).

From the teachings of the references, it is apparent that one of ordinary skill in the art would have had a reasonable expectation of success in producing the claimed invention.

Therefore, the invention as a whole was *prima facie* obvious to one of ordinary skill in the art at the time the invention was made, as evidenced by the references, especially in the absence of evidence to the contrary.

#### Conclusion

### 6. No claim is allowed.

Certain papers related to this application may be submitted to Art Unit 1657 by facsimile transmission. The faxing of such papers must conform with the notices published in the Official Gazette, 1156 OG 61 (November 16, 1993) and 1157 OG 94 (December 28, 1993) (see 37 C.F.R. § 1.6(d)). The official fax telephone number for the Group is 571-273-8300. NOTE: If Applicant *does* submit a paper by fax, the original signed copy should be retained by applicant or

Art Unit: 1657

applicant's representative. NO DUPLICATE COPIES SHOULD BE SUBMITTED so as to avoid the processing of duplicate papers in the Office.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to (571) 272-0547.

Patent applicants with problems or questions regarding electronic images that can be viewed in the Patent Application Information Retrieval system (PAIR) can now contact the USPTO's Patent Electronic Business Center (Patent EBC) for assistance. Representatives are available to answer your questions daily from 6 am to midnight (EST). The toll free number is (866) 217-9197. When calling please have your application serial or patent number, the type of document you are having an image problem with, the number of pages and the specific nature of the problem. The Patent Electronic Business Center will notify applicants of the resolution of the problem within 5-7 business days. Applicants can also check PAIR to confirm that the problem has been corrected. The USPTO's Patent Electronic Business Center is a complete service center supporting all patent business on the Internet. The USPTO's PAIR system provides Internet-based access to patent application status and history information. It also enables applicants to view the scanned images of their own application file folder(s) as well as general patent information available to the public.

For all other customer support, please call the USPTO Call Center (UCC) at 800-786-9199.

Any inquiry concerning rejections or objections in this communication or earlier communications from the examiner should be directed to Bin Shen, Ph.D., whose telephone number is (571) 272-9040. The examiner can normally be reached on Monday through Friday, from about 9:00 AM to about 5:30 PM. A phone message left at this number will be responded to as soon as possible (i.e., shortly after the examiner returns to her office).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Dr. Jon Weber can be reached at (571) 272-0925.

B Shen

Art Unit 1657

SUPERVISORY PATENT EXAMINER

Page 6